


HIV / AIDS

Three 3 key questions

- How might your work as an individual or as part of the education community be contributing to the spread of HIV?
- How might HIV be undermining the achievements of the school or education sector?
- What can you and your colleagues do to enhance the country's response to HIV?


HIV prevalence among people consuming alcohol and among non-drinkers, Carletonville, South Africa, 1998



Source: Campbell et al. (unpublished data)


HIV/AIDS infection detected in Papua New Guinea, 1987 –2003.

Year of diagnosis and sex.




HIV/AIDS Infection by Age and Sex, 1987 - 2001(June)


◆ Male ■ Females



HIVAIDS Infection Detected in PNG by Age, 1987 - 2001 (June)





Cumulative Reported cases by Province of Origin (1987- December 2004)




HIV/AIDS infection in PNG 1997-2003

Region of detection: region of origin



HIV Infections in the Pacific Region - Selected Countries



Relationship between HIV and development in PNG

- 40% of PMGH bed occupancy is due to HIV related illnesses
- Over 70% of infections in 15-24 year olds are in young women in PNG
- The worst affected age group is the next generation of professionals ie 16-30
- With an estimated HIV prevalence of 2%, an estimated 600 teachers are already infected.

NATIONAL AIDS COUNCIL SECRETARIAT

“Together, striving to control and prevent HIV/AIDS
in Papua New Guinea”

- **Telephone: 3236161**
- **Fax: 3254875 or 3257174**

- **PO Box 1345**
BOROKO, NCD
Papua New Guinea